





A-1



K-1



链号 Chain No.		p	G	F	W**	t/T	h ₄	D ₄
ISO DIN	ANSI	mm	mm	mm	mm	mm	mm	mm
04C	25	6.35	5.60	13.80	23.20	0.76	4.30	3.40
06C	35	9.525	7.90	19.00	28.60	1.27	6.35	3.40
08A	40	12.70	9.50	25.40	35.20	1.52	7.90	3.40
085	41	12.70	9.50	24.00	33.40	1.27	6.90	3.60
10A	50	15.875	12.70	31.75	46.20	2.03	10.30	5.50
12A	60	19.05	15.90	38.10	55.60	2.39	11.90	5.50
16A	80	25.40	19.10	50.80	64.80	3.18	15.90	6.80
20A	100	31.75	25.40	63.50	87.30	3.96	19.80	9.20
24A	120	38.10	28.60	72.60	108.50	4.75	23.00	9.80
28A	140	44.45	34.90	88.90	123.00	5.56	28.60	11.40
32A	160	50.80	38.10	101.60	142.80	6.35	31.75	13.10
*06B		9.525	8.00	19.04	27.00	1.30	6.50	3.50
08B		12.70	9.50	25.40	36.40	1.60	8.90	4.50
10B		15.875	14.30	31.75	44.60	1.70	10.31	5.30
12B		19.05	16.00	38.10	52.40	1.85	13.46	6.40
16B		25.40	19.10	50.80	72.60	4.15/3.1	15.88	6.40
20B		31.75	35.00	63.50	100.50	4.5/3.5	19.80	9.00
24B		38.10	30.00	76.20	108.40	6.0/4.8	26.67	10.50
28B		44.45	35.00	88.90	123.00	7.5/6.0	28.58	13.10
32B		50.80	38.10	101.60	142.80	7.0/6.0	31.75	13.10

* 直板链。


* Straight side plates.

**对B系列，内外链板的W可采用不同值。


**For B series W of inner and outer plates with different value is available.



SA-1/M1单侧(one side)



SK-1/M1双侧(both sides)



链号 Chain No.		p	G	FS	WS	t/T	d ₄
ISO DIN	ANSI	mm	mm	mm	mm	mm	mm
04C	25	6.35	5.60	15.9	23.4	0.76	3.40
06C	35	9.525	7.90	19.0	29.1	1.27	3.40
08A	40	12.70	9.50	25.4	38.1	1.52	3.40
085	41	12.70	9.50	23.7	33.1	1.27	3.60
10A	50	15.875	12.70	31.8	46.1	2.03	5.50
12A	60	19.05	15.90	36.6	53.7	2.39	5.50
16A	80	25.40	19.10	49.2	70.9	3.18	6.80
20A	100	31.75	25.40	63.6	88.0	3.96	9.20
24A	120	38.10	28.60	73.0	103.2	4.75	9.80
28A	140	44.45	34.90	89.0	124.0	5.56	11.40
32A	160	50.80	38.10	101.6	139.7	6.35	13.10
*06B		9.525	8.00	19.05	27.0	1.30	3.50
08B		12.70	9.50	26.7	37.8	1.60	4.30
10B		15.875	14.30	33.0	45.9	1.70	5.30
12B		19.05	16.00	42.9	57.2	1.85	6.40
16B		25.40	19.10	46.3	68.0	4.15/3.1	6.40
20B		31.75	35.00	61.0	91.4	4.5/3.5	9.00
24B		38.10	36.00	85.4	123.0	4.0/4.8	10.50


* 直板链。

* Straight side plates.




WA-1

WA-2



WK-1

WK-2





链号 Chain No.		p	G	I	F	W**	t/T	h ₄	d ₄
ISO DIN	ANSI	mm	mm	mm	mm	mm	mm	mm	mm
04C	25	6.35	11.41	6.35	13.80	23.2	0.76	4.30	3.4
06C	35	9.525	17.32	9.525	19.00	28.6	1.27	6.35	2.8
08C	40	12.70	23.00	12.70	25.40	35.6	1.52	7.90	3.4
085	41	12.70	22.30	12.70	24.00	35.0	1.27	7.20	4.9
10A	50	15.875	28.80	15.875	31.75	46.8	2.03	10.30	5.5
12A	60	19.05	34.65	19.05	38.10	56.4	2.39	11.90	5.5
16A	80	25.40	45.90	25.40	50.80	73.2	3.18	15.90	6.8
20A	100	31.75	57.65	31.75	63.50	89.8	3.96	19.80	9.2
24A	120	38.10	69.30	38.10	76.20	108.8	4.75	23.00	9.8
28A	140	44.45	80.45	44.45	88.90	123.0	5.56	28.60	11.4
32A	160	50.80	92.00	50.80	101.60	142.8	6.35	31.75	13.1
*06B		9.525	17.72	9.525	19.04	27.0	1.30	6.50	3.5
08B		12.70	24.00	12.70	25.40	36.4	1.60	8.90	4.3
10B		15.875	29.58	15.875	31.80	44.6	1.70	10.31	5.3
12B		19.05	34.05	19.05	38.10	52.4	1.85	13.46	6.4
16B		25.40	46.40	25.40	50.80	76.2	4.15/3.1	15.88	6.4
20B		31.75	58.10	31.75	63.00	100.5	4.5/3.5	19.80	9.0
24B		38.10	71.30	38.10	76.20	108.4	6.0/4.8	26.67	10.5
28B		44.45	81.10	44.45	88.90	123.0	7.5/6.0	28.58	13.1
32B		50.80	92.80	50.80	101.60	142.8	7.0/6.0	31.75	13.1

* 直板链。

* Straight side plates.

**对B系列，内外链板的W可采用不同值。

**For B series W of inner and outer plates with different value is available.



链号 Chain No.		p	G	I	FS	WS	t/T	d4
ISO DIN	ANSI	mm	mm	mm	mm	mm	mm	mm
04C	25	6.35	11.41	6.35	15.9	23.4	0.76	3.4
06C	35	9.525	17.32	9.525	19.0	29.1	1.27	2.8
08A	40	12.70	23	12.70	25.4	38.1	1.52	3.4
085	41	12.70	21.2	12.70	23.7	33.1	1.27	3.6
10A	50	15.875	28	15.875	31.8	46.1	2.03	5.5
12A	60	19.05	34.65	19.05	36.6	53.7	2.39	5.5
16A	80	25.40	45.9	25.40	49.2	70.9	3.18	6.8
20A	100	31.75	57.65	31.75	63.6	88.0	3.96	9.2
24A	120	38.10	69.3	38.10	73.0	103.2	4.75	9.8
28A	140	44.45	80.45	44.45	89.0	124.0	5.56	11.4
32A	160	50.80	92	50.80	101.6	139.7	6.35	13.1
*06B		9.525	17.72	9.525	19.05	27.0	1.30	3.5
08B		12.70	23.3	12.70	26.7	37.8	1.60	4.3
10B		15.875	29.58	15.875	33.0	45.9	1.70	5.3
12B		19.05	34.05	19.05	42.9	57.2	1.85	6.4
16B		25.40	46.4	25.40	46.3	68.0	4.15/3.1	6.4
20B		31.75	58.1	31.75	61.0	91.4	4.5/3.5	9.0
24B		38.10	71.3	38.100	85.4	123.0	6.0/4.8	10.5

* 直板链。

* Straight side plates.